

MPN: 0070-08128

Saturn Ultra 5MP panoramakamera med 4 x 2,7–12 mm motoriserat objektiv & IR 40 m, PoE+, IP67, IK10 - NDAA

Saturn-UX-508IR

Väggfäste ingår

- Fyra 5MP 1/2.8" STARVIS CMOS-bildsensor
- 4 justerbara objektiv i en kamera, varje objektiv upp till 5 MP (2592 × 1944) @25/30 fps
- 2,7 till 13,5 mm motoriserat objektiv
- Smart IR-räckvidd upp till 40 m
- True WDR, 3D DNR, ROI, HLC, BLC, Defog
- Stödjer ansikts-, människa- och fordonsdetektion och fångst
- Intelligent analyser: intrång, enkel linjeövergång, dubbel linjeövergång, dröjning, felriktning, olaglig parkering, inpassering av område, utpassering av område, smart rörelsedetektering och personräkning
- Inbyggd mikrofon, 1/1 ljud in/ut, 4/2 alarm in/ut
- Inbyggd SD-kortplats, upp till 1 TB
- IP67, IK10



Specifikationer

Audio	Audio input channels	1 kanaler
	Audio output channels	1 kanaler
	Built-in microphone	Yes
Camera	Lens viewing angle, horizontal	95.6° to 26.9 °
	Lens viewing angle, vertical	65.4° to 20.5 °
Design	Housing material	Metal, Plastic
	IK code	IK10
	International Protection (IP) code	IP67
	Mounting type	Ceiling/Pole
	Product colour	White
	Weatherproof	Yes
Features	NDAA Compliance	Yes
Lens system	Fixed focus	Yes
	Focal length range	2.7 - 13.5 mm
Management features	Reset button	Yes
Network	Ethernet LAN	Yes
	Wi-Fi	No

Night vision	Infra-red wavelength	850 nm
	LED type	Infrared light
	Night vision	Yes
	Night vision distance	40 m
Operational conditions	Operating relative humidity (H-H)	10-90 %
	Operating temperature (T-T)	-40 - 60 ° C
Other features	Dimensions (WxDxH)	Φ282 × 206.3 mm
Performance	Alarm input/output	Yes
	Connectivity technology	Wired
	Day/night mode	Yes
	Placement supported	Indoor & outdoor
	Type	IP security camera
	Wide Dynamic Range (WDR)	Yes
Power	Power consumption (max)	25,3 W
	Power over Ethernet (PoE)	Yes
	Power source type	PoE+, DC
Security	Alarm input channels	4
	Alarm output channels	2
Storage	Card reader integrated	Yes
	Maximum memory card size	1 TB
Technical details	Voltage	12 V
	Warranty period	5 År
Vendor information	Brand Name	Ernitec
	Homepage	http://www.ernitec.com
	Warranty	5 År
Video	Maximum resolution	2592x1944 pixlar
	Total megapixels	5 MP
	Video intelligence analytic	Yes

Andra bilder

